

INBLADE PRO

The revolutionary pneumatic version of our popular InBlade cutter

The **InBlade Pro** adds the comfort to the already unique features of the InBlade thanks to the power of the pneumatic cylinder that moves quickly and accurately the cutting head. The pneumatic cylinder combined with the reliable linear bearing system to guide the cutting head allows the cutting of any material with no need of downward hand pressure.


The **InBlade Pro** is equipped also with a speed control to regulate the velocity of the cutting head depending on the material to be cut, required to guarantee a smooth cut for all uses. The interchangeable cutting head system offers an easy-to-use solution to hold all the available cutting heads and it is ready for being used by new tools developed in the future.

The **InBlade Pro** cutter is available in four cutting sizes 165 cm (65"), 210 cm (82"), 250 cm (98") & 305 cm (120") and it allows cutting the surprising maximum thickness of 20 mm.


Features:



Robust pneumatic cylinder to move the cutting head quickly and cut any material with no effort.



Two bearing blocks located on a linear rail for reliable and accurate cutting head guidance.



The pneumatic clamping system offers an easy, fast and reliable way to hold the material. Speed control to regulate the cutting velocity.



Cutting thickness up to 20 mm for semi-rigid materials.

Other features:

- ✓ Interchangeable cutting head system.
- ✓ Laser Beam to indicate the cutting line. Common for all the tools.
- ✓ Telescopic legs to find easily the most comfortable working position.
- ✓ Easy to set up and to square through the adjusting square system.
- ✓ Mounted on the wall or supported by a free standing accessory.



ALUM COMPOSITE

Up to 4 mm
-Included-
Ref. 45 19 90



TRIPLE BLADE

Up to 20 mm
-Accessory-
Ref. 45 18 97



ACRYLIC

Up to 6 mm
-Accessory-
Ref. 45 18 96



SEMI-RIGIDS

Up to 13 mm
-Included-
Ref. 45 19 91




GLASS

Up to 6 mm
-Accessory-
Ref. 45 18 99



V-GROOVE SEMI-RIGIDS

Up to 20 mm
-Accessory-
Ref. 45 19 85 / 45 19 86
+ 45 19 04



| RIGIDS | Max. thickness |
|-------------------------------|-----------------|
| PVC Foamboard | 13 mm |
| Aluminium composite / Dibond® | 4 mm |
| Aluminium sheets / Cromaluxe® | 1 mm |
| MDF / Wood | 4 mm |
| Acrylics / Plexiglas® | 6 mm * / ** / ◇ |
| Glass | 6 mm * / ◇ |

| SEMI-RIGIDS | Max. thickness |
|-----------------------|-----------------|
| Foamboard | 13 mm / 20 mm * |
| Cardboard | 13 mm / 20 mm * |
| Honeycomb / Re-board® | 13 mm / 20 mm * |
| Corrugated plastic | 13 mm |
| Passepartout | ✓ |

| V-GROOVE | Max. thickness |
|-------------------------------|----------------|
| Aluminium composite / Dibond® | 4 mm * |
| Honeycomb / Re-board® | 20 mm * |
| Foamboard | 13 mm * |

* Optional accessory required. ** Possible but not for daily use.
◇ Score and snap.

| Technical Information | 72 85 81 Inblade Pro 165 | 72 85 82 Inblade Pro 210 | 72 85 83 Inblade Pro 250 | 72 85 84 Inblade Pro 305 |
|-----------------------|---------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Cutting head | Pneumatic | Pneumatic | Pneumatic | Pneumatic |
| Clam system | Pneumatic | Pneumatic | Pneumatic | Pneumatic |
| Max. cutting height | 165 cm / 65 " | 210 cm / 82 " | 250 cm / 98 " | 305 cm / 120 " |
| Dimensiones A x B x C | 225 x 210 x 56 cm 88,5 x 82 x 22 " | 268 x 210 x 56 cm 105 x 82 x 22 " | 310 x 210 x 56 cm 122 x 82 x 22 " | 365 x 210 x 56 cm 143 x 82 x 22 " |
| Weight | 70 Kg / 154 lb | 85 Kg / 187 lb | 104 Kg / 229 lb | 128 Kg / 282 lb |
| Packing dimensions | 231 x 49 x 46 cm | 278 x 49 x 46 cm | 331 x 49 x 46 cm | 410 x 49 x 46 cm |
| Packing weight | 94 Kg 105 Kg (+ free standing) | 115 Kg 127 Kg (+ free standing) | 134 Kg 148 Kg (+ free standing) | 182 Kg 198 Kg (+ free standing) |

Accessories

| | |
|----------------------------------------------|----------|
| Aluminium composites cutting head -Included- | 45 19 90 |
| Single blade cutting head -Included- | 45 19 91 |
| Acrylic cutting head | 45 18 96 |
| Triple blade cutting head | 45 18 97 |
| V-Groove cutting head | 45 18 98 |
| Glass cutting head | 45 18 99 |
| V-Groove cutting head support | 45 19 04 |
| Re-board® V-Groove cutting head | 45 19 85 |
| Foamboard V-Groove cutting head | 45 19 86 |
| Arm extension for Inblade -1 m- | 14 20 08 |
| Laser beam | 45 06 51 |
| Free standing Inblade, 165 | 45 18 01 |

| | |
|--------------------------------|----------|
| Free standing Inblade, 210 | 45 18 02 |
| Free standing Inblade, 250 | 45 19 13 |
| Free standing Inblade, 305 | 45 19 14 |
| Trapezoid blades -100 u- | 13 01 30 |
| Acrylic scoring blades -5 u- | 13 01 25 |
| V-Groove blades | 13 01 71 |
| Circular blades -2 u- | 13 01 72 |
| Re-board® V-Groove blades | 13 01 79 |
| Foamboard V-Groove blades | 13 01 80 |
| Glass cutting wheel | 14 07 43 |
| Silent compressor, 1 Hp -24 l- | 02 09 40 |